

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1           Claim 1 (currently amended):           A color-designating server which displays a screen for  
2           designating color at a user terminal, which can be connected to a network, the color-designating  
3           server comprising:

4                 a matchable color database which stores data required for determining matchable colors;

5                 a conditions-designating processing unit which transmits a conditions-designating screen for  
6           designating conditions data, required for determining the matchable colors, to the user terminal;

7                 a color data transmitting unit which determines colors which can be matched under the  
8           conditions specified by the conditions data, designated in the conditions-designating screen, by  
9           consulting the matchable color database, and transmits a result to the user terminal;

10                a customer database which stores user information, comprising user ID for specifying users  
11           of the color-designating server, and use information including requirements relating to items to be  
12           colored[[,]] predetermined in correlation with user ID, ~~specifying users of the color-designating~~  
13           ~~server;~~ and

14                wherein, when the user has been identified, the conditions-designating processing unit  
15           transmits the conditions-designating screen, specifying the requirements and the types of resin and  
16           dye or pigment, ~~in accordance with the use data of the user~~ which are stored in the customer database

**Preliminary Amendment filed June 16, 2005**  
**U.S. Patent Application Serial No. 10/026,823**

17 in correlation with an identified user and were, which was obtained by consulting the customer  
18 database, to the user terminal, and  
19 the conditions-designating server further comprises a use data receiving unit which receives,  
20 from the user terminal, requirements selected by the user from the requirements specified in the  
21 conditions-designating screen.

1 Claim 2 (original): The color-designating server according to Claim 1, wherein the data  
2 required for determining the matchable colors comprises at least the type of resin, the type of dye or  
3 pigment, and the ratio when matching them.

1 Claim 3 (original): The color-designating server according to Claim 1, wherein the color  
2 data transmitting unit provides a color gamut, comprising a region of colors which can be matched  
3 from the matchable colors, in a color space, and transmits data for displaying a color-designating  
4 screen for enabling colors to be designated in the color gamut to the user terminal.

1 Claim 4 (original): The color-designating server according to Claim 1, wherein the  
2 matchable color database further stores basic color data relating to a plurality of basic colors,  
3 determined by combining resins and dyes or pigments; and

4 the color data transmitting unit determines a color gamut, comprising a region of matchable  
5 colors which can be matched from the basic colors under the conditions determined by the conditions

**Preliminary Amendment filed June 16, 2005**  
**U.S. Patent Application Serial No. 10/026,823**

6 data, by consulting the matchable color database, and transmits the result to the user terminal.

1           Claim 5 (original): The color-designating server according to Claim 1, wherein the  
2 matchable color database further stores color sample data relating to colors of color samples; and  
3           the color data transmission unit determines color samples which can be matched under the  
4 conditions, determined by the conditions data, by consulting the matchable color database, and  
5 transmits the result to the user terminal.

1           Claim 6 (original): The color-designating server according to Claim 1, further comprising  
2 a color data receiving unit which receives color data relating to a color which was designated from  
3 the matchable colors;  
4           an arrangement calculating unit which calculates an arrangement ratio of resins and dyes or  
5 pigments based the received color data; and  
6           an arrangement result transmitting unit which transmits arrangement result data, output from  
7 the arrangement calculating unit, to the user terminal.

Claims 7-9 (canceled).

1           Claim 10 (original): The color-designating server according to Claim 1, further comprising  
2 a virtual item coloring processing unit which displays a virtual item conforming to actual

**Preliminary Amendment filed June 16, 2005**  
**U.S. Patent Application Serial No. 10/026,823**

3 requirements in two-dimensions or three-dimensions in the color-designating screen, colors the  
4 virtual item in the color which has been designated from the matchable colors, and allows the color  
5 to be confirmed.

1 Claim 11 (original): The color-designating server according to Claim 1, further comprising  
2 a cost-calculating unit which calculates a cost based on data relating to resins and dyes or pigments  
3 which is determined uniquely by arrangement result data, output by the arrangement calculation  
4 processing unit;  
5 the arrangement result unit transmitting the arrangement result data including cost  
6 data.

1 Claim 12 (currently amended): A color-designating receiving/ordering system  
2 comprising at least a color-designating server which displays a screen for designating color at a user  
3 terminal, which can be connected to a network, and a receive-order system which receives order data,  
4 received from the user terminal by the color-designating server,  
5 the color-designating server comprising:  
6 a matchable color database which stores data required for determining matchable colors;  
7 a conditions-designating processing unit which transmits a conditions-designating screen for  
8 designating conditions data, required for determining the matchable colors, to the user terminal; and

**Preliminary Amendment filed June 16, 2005**  
**U.S. Patent Application Serial No. 10/026,823**

9           a color data transmitting unit which determines colors which can be matched under the  
10 conditions specified by the conditions data, designated in the conditions-designating screen, by  
11 consulting the matchable color database, and transmits a result to the user terminal;

12           a receiving unit which, when a color has been designated from the matchable colors, and a  
13 product in the color has been designated, receives designated product data for specifying the color  
14 and the product, and order data, from the user terminal;

15           a transmitting unit which transmits the designated product data and the order data to the  
16 receive-order system;

17           the receive-order system comprising a receive-order unit which performs receive-order  
18 processing based on the order data, which has been received;

19           a customer database which stores user information, comprising user ID for specifying users  
20 of the color-designating server, and use information including requirements relating to items to be  
21 colored[[,]] predetermined in correlation with the user ID, specifying users of the color-designating  
22 server; and

23           wherein, when the user has been identified, the conditions-designating processing unit  
24 transmits the conditions-designating screen, specifying the requirements and the types of resin and  
25 dye or pigment, in accordance with the use data of the user which are stored in the customer database  
26 in correlation with an identified user and were, which was obtained by consulting the customer  
27 database, to the user terminal, and

**Preliminary Amendment filed June 16, 2005**  
**U.S. Patent Application Serial No. 10/026,823**

28        the conditions-designating server further comprises a use data receiving unit which receives,  
29        from the user terminal, requirements selected by the user from the requirements specified in the  
30        conditions-designated screen.

1            Claim 13 (original): The color-designating receiving/ordering system according to Claim  
2        12, further comprising a distribution system which manages the stock number of the products;  
3            the color-designating server further comprising an available stock confirming unit which  
4        extracts stock data of a product corresponding to the designated product data from the distribution  
5        system, and determines whether it can be ordered; and  
6            a transmitting unit which transmits the result of the determination to the user terminal.

1            Claim 14 (original): The color-designating receiving/ordering system according to Claim  
2        12, further comprising an account system which manages data relating to the cost of the product; and  
3            the color-designating server further comprising a price supplying unit which extracts current  
4        price data of materials used in a product, which has been specified in the product-product data, from  
5        the account system, and supplies a price of the product reflecting the current price to the user  
6        terminal.

**Preliminary Amendment filed June 16, 2005**  
**U.S. Patent Application Serial No. 10/026,823**

1           Claim 15 (original): The color-designating receiving/ordering system according to Claim  
2           12, further comprising a manufacturing system which receives receive-order data from the receive-  
3           order system, and manufactures a product based on the receive-order data.

1           Claim 16 (currently amended):       A color-designating method which displays a screen  
2           for designating color at a user terminal, which can be connected to a network, the color-designating  
3           method comprising the steps of:

4                 specifying users of the color-designated server by accessing a customer database which stores  
5                 user information, comprising user ID for specifying users of the color-designating server, and use  
6                 information including requirements relating to items to be colored, predetermined in correlation with  
7                 the user ID,

8                 ~~a first step of~~ when the user has been identified, transmitting a conditions-designating screen  
9                 for designating conditions data, required for determining matchable colors, to the user terminal, the  
10                conditioner-designating screen specifying the requirements and the types of resin and dye or pigment  
11                which are stored in the customer data base in correlation with an identified user and were obtained  
12                by consulting the customer database;

13               ~~a second step of~~ determining colors which can be matched under the conditions specified by  
14               the conditions data, designated in the conditions-designating screen, by consulting ~~[[the]]~~ a  
15               matchable color database, and transmitting the result to the user terminal;

**Preliminary Amendment filed June 16, 2005**  
**U.S. Patent Application Serial No. 10/026,823**

16       ~~a third step of specifying users of the color-designating server by accessing a customer~~  
17       ~~database which stores user information, comprising use information relating to items to be colored,~~  
18       ~~in correlation with user ID, and~~

19       ~~when the user has been identified, a fourth step of transmitting the conditions-designating~~  
20       ~~screen, specifying the types of resin and dye or pigment in accordance with the use data of the user,~~  
21       ~~which was obtained by consulting the customer database, to the user terminal.~~

1           Claim 17 (currently amended):       The color-designating method according to Claim 16,  
2       wherein the second step of determining colors comprising comprises providing a color gamut,  
3       comprising a region of colors which can be matched from the matchable colors, in a color space, and  
4       transmitting data for displaying a color-designating screen for enabling colors to be designated in  
5       the color gamut to the user terminal.

1           Claim 18 (currently amended):       A color-designating receiving/ordering method using  
2       a color-designating server which displays a screen for designating color at a user terminal, which can  
3       be connected to a network, and a receive-order system which receives order data, received from the  
4       user terminal by the color-designating server, the color-designating receiving/ordering method  
5       comprising the steps of:

6           specifying users of the color-designating server by accessing a customer database which  
7       stores user information, comprising user ID for specifying users of the color-designating server, and



8 use information including requirements relating to items to be colored, predetermined in correlation  
9 with the user ID,

10 when the user has been identified, transmitting by the color-designating server a conditions-  
11 designating screen for designating conditions data, required for determining matchable colors, to the  
12 user terminal, the conditions-designating screen specifying the requirements and the types of resin  
13 and dye or pigment which are stored in the customer data base in correlation with an identified user  
14 and were obtained by consulting the customer database;

15 ~~the color-designating server transmitting a conditions-designating screen for designating~~  
16 ~~conditions data, required for determining the matchable colors, to the user terminal;~~

17 the color-designating server determining colors which can be matched under the conditions  
18 specified by the conditions data, designated in the conditions-designating screen, by consulting a  
19 matchable color database, and transmitting the result to the user terminal;

20 ~~specifying users of the color-designating server by accessing a customer database which~~  
21 ~~stores user information, comprising use information relating to items to be colored, in correlation~~  
22 ~~with user ID,~~

23 ~~when the user has been identified, transmitting the conditions-designating screen, specifying~~  
24 ~~the types of resin and dye or pigment in accordance with the use data of the user, which was obtained~~  
25 ~~by consulting the customer database, to the user terminal;~~

**Preliminary Amendment filed June 16, 2005**  
**U.S. Patent Application Serial No. 10/026,823**

26           when a color has been designated from the matchable colors, and a product in the color has  
27           been designated, the color-designating server receiving designated product data for specifying the  
28           color and the product, and order data, from the user terminal;

29           the color-designating server transmitting the designated product data and the order data to  
30           the receive-order system; and

31           the receive-order system performing receive-order processing based on the order data, which  
32           has been received.

1           Claim 19 (currently amended):       A computer-readable recording medium, which a  
2           program of color-designating method for displaying a screen for designating color at a user terminal,  
3           which can be connected to a network, is recorded in, the program comprising the steps of:

4           specifying users of the color-designating server by accessing a customer database which  
5           stores user information, comprising user ID for specifying users of the color-designating server, and  
6           use information including requirements relating to items to be colored, predetermined in correlation  
7           with the user ID,

8           ~~a first step of~~ when the user has been identified, transmitting a conditions-designating screen  
9           for designating conditions data, required for determining matchable colors, to the user terminal, the  
10          conditions-designating screen specifying the requirements and the types of resin and dye or pigment  
11          which are stored in the customer data base in correlation with an identified user and were obtained  
12          by consulting the customer database;

**Preliminary Amendment filed June 16, 2005**  
**U.S. Patent Application Serial No. 10/026,823**

13       ~~a second step of determining colors which can be matched under the conditions specified by~~  
14       the conditions data, designated in the conditions-designating screen, by consulting [[the]] a  
15       matchable color database, and transmitting the result to the user terminal;

16       ~~a third step of specifying users of the color-designating server by accessing a customer~~  
17       ~~database which stores user information, comprising use information relating to items to be~~  
18       ~~colored, in correlation with user ID, and~~

19       ~~when the user has been identified, a fourth step of transmitting the conditions-~~  
20       ~~designating screen, specifying the types of resin and dye or pigment in accordance with the use~~  
21       ~~data of the user, which was obtained by consulting the customer database, to the user terminal.~~

\*       \*       \*       \*